# HOUSING \$PLANS THE LE Densityseries

### Floor Areas and Measurements

#### Floor plan area

It includes the liveable floor area and circulation elements.

#### Liveable floor plan area

It includes the exterior and interior spaces, ignoring the circulation elements.

#### Floor area of the housing unit

This is the sum of exterior and interior spaces.

#### Measurements

Expressed in Metric and Imperial units.

All the areas are built areas delimited by the most exterior enclosure of the walls.

The numbering of the cards corresponds to the floor plan area size, from smallest to largest.

Dimensions of the housing units are classified by built area:

From	0	to	1,076	sqft	s
From	1,077	to	1,615	sqft	.М
From	1,616	to	2,153	sqft	"L
From	2,154.	to	3,229	sqft	XL
From	0	to	100 m	12	S
From	101	to	150 m	12	.М
From	151	to	200 m	12	
From	201	to	300 m	12	XL

### Superfices y Medidas

#### Superficie de la planta

Incluye la superficie habitable y las circulaciones.

Superficie habitable de la planta Incluye los espacios exteriores y los interiores, descontando las circulaciones.

#### Superficie de la vivienda

Es la suma de los espacios exteriores e interiores.

#### Medidas

Expresadas en sistema métrico decimal y en sistema anglosajón.

Todas las superficies son construidas y están delimitadas por la envolvente más exterior de los muros.

La numeración de las cartas corresponde al tamaño de la superficie construida de la planta, de menor a mayor.

Las unidades de vivienda están clasificadas por la superficie construida:

De	0	.a100	m²S
De 1	101	.a150	m2 M
De 1	151	.a200	m2 L
De 2	201	.a 300	m²XL

### Criteria for Estimated Privacy & Exterior-ness

#### PRIVACY OF THE FLOOR PLAN

Privacy influences the quality of collective living and this, to a large extent, is determined by the design of the circulation elements.

We have ranked an estimated privacy of the floor plan according to the following parameters:

#### **Vertical Circulation Index**

This is the relationship between the number of cores (lifts or stairs) and the number of housing units per floor plan. In the event that the number of lifts differs from the number of stairs, the highest number is selected.

#### **Horizontal Circulation Index**

This is the relationship between the liveable area of the floor plan and the floor area allocated to circulation elements (lifts, stairs, galleries and shared corridors).

#### Storeys

This is the number of storeys of the project to which the floor plan belongs.

The estimated privacy of each floor plan also takes into account:

- the location of the cores
- the circulation layout.

#### **EXTERIOR-NESS OF THE UNIT**

Exterior-ness affects personal well-being through the connection with the setting. This is determined by both the size and layout of the exterior spaces and the degree that the facades facilitate ventilation and lighting.

We have ranked an estimated exterior-ness of the housing unit according to the following parameters:

#### **Exterior Space %**

This is the percentage of the exterior floor area with regard to the floor area of the housing unit.

#### Facade %

This is the percentage of the length of the facade with regard to the total perimeter of the housing unit.

The estimated exterior-ness of the housing unit also takes into account:

- the number of orientations of the facade
- the width of the openings
- the depth of the housing unit.

### Criterios de Privacidad & Exterioridad estimadas

#### PRIVACIDAD DE LA PLANTA

La privacidad condiciona la calidad de la vida en común. Está determinada, en gran medida, por el diseño de las circulaciones.

Hemos estimado la privacidad de la planta en base a los siguientes parámetros:

#### Índice de Circulación Vertical

Es la relación entre el número de núcleos (ascensores o escaleras) y el número de unidades de vivienda por planta. En caso de que difiera el número de ascensores del de escaleras, se elegirá el mayor.

#### Índice de Circulación Horizontal

Es la relación entre la superficie habitable de la planta y la superficie dedicada a circulaciones (ascensores, escaleras, galerías y corredores comunes).

#### **Pisos**

Es el número de alturas del proyecto al que pertenece la planta.

La privacidad estimada de cada planta tiene en cuenta también:

- la disposición de los núcleos
- el diseño de las circulaciones.

#### **EXTERIORIDAD DE LA VIVIENDA**

La exterioridad afecta al bienestar personal a través de la conexión con el entorno.

Está determinada por el tamaño y la disposición de los espacios exteriores, así como por las posibilidades de ventilación e iluminación de las fachadas. Hemos estimado la exterioridad de la vivienda en base a los siguientes parámetros:

#### % de Espacio Exterior

Es el porcentaje de superficie exterior con respecto a la superficie de la vivienda.

#### % de Fachada


Es el porcentaje de longitud de fachada con respecto al perímetro total de la vivienda.

La exterioridad estimada tiene en cuenta también:

- el número de orientaciones de la fachada
- la anchura de los huecos
- la profundidad de la vivienda.

### Estimated Privacy of the Floor Plans\*

1:1000



#### LOWEST

- 01. Tortured Square
- 13. Short Rectangle
- 22. Saw
- 24. Open Quadrangle
- 29. Amoeba

#### LOW

- 18. Empty Circle
- 21. Empty Rectangle
- 26. Long Rectangle
- 27. Cactus
- 33. Cloister
- 35. Two Squares
- 38. Worm
- 39. Three Hexagons
- 40. Four Amoebae
- 42. Eight-Shape

#### MODERATE

- 02. Pinwheel
- 04. Greek Cross
- 05. Diamond
- 07. Bird
- 17. Cutter Blade
- 20. Filled Circle
- 31. X-Shape
- 34. Two Bars
- 36. Three Birds
- 37. Trident
- 43. C-Shape
- 44. Two Hexagons
- 46. D. E. Rectangle
- 48. Empty Square
- 49. Bubbles
- 50. Three Chains

#### HIGH

03. False Twins

#### 06. Z-Shape

- 08. Narrow Rectangle
- 12. Peak
- 14. Spine
- 15. Square Grid
- 16. Rectangle
- 19. Three Rectangles
- 23. Two Pentagons
- 28. Small Egyptian
- 30. Two Amoebae
- 32. Hand Fan
- 41. Cluster
- 45. U-Shape


#### HIGHEST

- 09. Butterfly
- 10. Trimaran
- 11. Castle
- 25. Four Insects
- 47. Large Egyptian

"See the Analytical Criteria card for a detailed explanation of parameters and criteria.

### Privacidad Estimada de las Plantas\*

1:1000



#### **MUY BAJA**

01. Cuadrado Torturado

13. Rectangulo Corto

22. Sierra

24. Cuadrilátero Abierto

29. Ameba

#### BAJA

18. Círculo Vacio

21. Rectángulo Vacío

26. Rectángulo Largo

27. Cactus

33. Claustro

35. Dos Cuadrados

38. Gusano

39. Tres Hexágonos

40. Cuatro Amebas

42. Forma de Ocho

#### **MODERADA**

02. Remolino

04. Cruz griega

05. Diamante

07. Pájaro

17. Cuchilla

20. Circulo lleno

31. Forma de X

34. Dos Barras

36. Tres Pájaros

37. Tridente

43. Forma de C

44. Dos Hexágonos

46, R. V. Distorsionado

48. Cuadrado Vacio

49. Burbujas

50. Tres Cadenas

#### ALTA

03. Falsos Gemelos

06. Forma de Z

08. Rectángulo Estrecho

12. Pico

14. Espina dorsal

15. Trama cuadrada

16. Rectángulo

19. Tres Rectángulos

23. Dos Pentágonos

28. Pequeño Egipcio

30. Dos Amebas

32. Abanico

41. Racimo

45. Forma de U

#### **MUY ALTA**

09. Mariposa


10. Trimarán

11. Castillo

25. Cuatro Insectos

47. Gran Egipcio

"Ver la carta de Criterios de Análisis para la explicación de parámetros y criterios.



#### LOWEST 22. Saw

#### LOW

01. Tortured Square

04. Greek Cross

05. Diamond

06. Z-Shape

07. Bird

12. Peak

14. Spine

18. Empty Circle

19. Three Rectangles

21. Empty Rectangle

26. Long Rectangle

27. Cactus

28. Small Egyptian

30. Two Amoebae

33. Cloister

34, Two Bars

42. Eight-Shape

43. C-Shape

45. U-Shape

48. Empty Square

#### MODERATE

02. Pinwheel

08. Narrow Rectangle

11. Castle

13. Short Rectangle

17. Cutter Blade

23. Two Pentagons

29. Amoeba

32. Hand Fan

36. Three Birds

37. Trident

39. Three Hexagons

40. Four Amoebae

41. Cluster

46. D. E. Rectangle

47. Large Egyptian

49. Bubbles

#### HIGH

03. False Twins

09. Butterfly

10. Trimaran

15. Square Grid

16. Rectangle

20. Filled Circle

24. Open Quadrangle

25. Four Insects

31. X-Shape

35. Two Squares


44, Two Hexagons

#### HIGHEST

38. Worm

50. Three Chains

\*See the Analytical Criteria card for a detailed explanation of parameters and criteria.



#### **MUY BAJA**

22. Sierra

#### BAJA

01. Cuadrado Torturado

04. Cruz griega

05. Diamante

06. Forma de Z

07. Pájaro

12. Pico

14. Espina dorsal

18. Circulo Vacio

19.Tres Rectángulos

21. Rectángulo Vacío

26. Rectángulo Largo

27. Cactus

28. Pequeño Egipcio

30. Dos Amebas

33. Claustro

34. Dos Barras

42. Forma de Ocho

43. Forma de C

45. Forma de U

48. Cuadrado Vacio

#### **MODERADA**

02. Remolino

08. Rect. Estrecho

11. Castillo

13. Rectángulo Corto

17. Cuchilla

23. Dos Pentágonos

29. Ameba

32. Abanico

36. Tres Pájaros

37. Tridente

39. Tres Hexágonos

40. Cuatro Amebas

41. Racimo

46. R. V. Distorsionado

47. Gran Egipcio

49. Burbujas

#### ALTA

03. Falsos Gemelos

09. Mariposa

10. Trimarán

15. Trama cuadrada

16. Rectángulo

20. Círculo lleno

24. Cuadrilátero Abierto

25. Cuatro Insectos

31. Forma de X

35. Dos Cuadrados

44. Dos Hexágonos

#### **MUY ALTA**

38. Gusano


50. Tres Cadenas

Ver la carta de Criterios de Análisis para la explicación de parámetros y criterios.

### 01. TORTURED SQUARE

PRIVACY LOW MODERATE HIGH HIGHEST **CORES:... 1** VERTICAL CIRCULATION INDEX:................0.17 HORIZONTAL CIRCULATION INDEX: ......... 6.66 UNITS:.... 6 STOREYS: .. 6 CARABANCHEL, MADRID, ES 2013 61'07' 18,78 m 1:1000 16'05" . 3,578.79 sqft / 332,48 m² FLOOR PLAN AREA ...

# 01. TORTURED SQUARE



### 02. PINWHEEL

**PRIVACY** 

LOWEST LOW MODERATE HIGH HIGHEST


VERTICAL CIRCULATION INDEX: ......0.25

CORES:... 1

HORIZONTAL CIRCULATION INDEX: .....11.91


STOREYS:..4

UNITS:,..., 4




@ a+t architecture publishers


### 02. PINWHEEL



### 03. FALSE TWINS



### 03. FALSE TWINS



### 04. GREEK CROSS

**PRIVACY** 

LOWEST LOW HIGH **HIGHEST MODERATE** 


VERTICAL CIRCULATION INDEX: ..............0.50

**CORES:... 2** 

HORIZONTAL CIRCULATION INDEX: .......7.24


STOREYS: 21


UNITS:.... 4



FLOOR PLAN AREA ...

# 04. GREEK CROSS





UNIT AREA \_\_\_\_\_\_ 1,290.59 sqft / 119,90 m<sup>2</sup>

© a+t architecture publishers

# 05. DIAMOND


PRIVACY

LOWEST LOW MODERATE HIGH HIGHEST

VERTICAL CIRCULATION INDEX: ......0.40

CORES:... 2


HORIZONTAL CIRCULATION INDEX: ......7.46 STOREYS:12/24 UNITS:.... 5




FLOOR PLAN AREA ...... 6,492.25 sqft / 603,15 m2

© a+t architecture publishers

# 05. DIAMOND





UNIT AREA ...... 1,182.52 sqft / 109,86 m<sup>7</sup>

@ a+t architecture publishers

### 06. Z-SHAPE

PRIVACY

LOWEST LOW MODERATE HIGH HIGHEST


VERTICAL CIRCULATION INDEX: .................................0.50

CORES:... 2

HORIZONTAL CIRCULATION INDEX: .....15.74


STOREYS:..8

UNITS:.... 4




@ a+t architecture publishers


### 06. Z-SHAPE




PRIVACY	LOWEST LOW MODERAT	E HIGH HIGHEST			
- E	VERTICAL CIRCULATION INDEX:0.33 HORIZONTAL CIRCULATION INDEX:13.35				
	163°04° 49,78 m	1:1000 ft			
	FLOOR PLAN AREA	6,924.75 sqft / 643,33 m²			
©	© a+t architecture publishers 50 HOUSING FLOOR PLANS				



### 08. NARROW RECTANGLE



# 08. NARROW RECTANGLE



# 09. BUTTERFLY

**PRIVACY** 


LOWEST LOW MODERATE HIGH HIGHEST

VERTICAL CIRCULATION INDEX: ..............0.50

HORIZONTAL CIRCULATION INDEX: .....14.06

CORES:... 2

STOREYS: .. 4 UNITS:.... 4



@ a+t architecture publishers

### 09. BUTTERFLY

EXTERIOR LOWEST HIGHEST LOW MODERATE HIGH EXTERIOR SPACE %: .....10.71 SIZE: ..... M 1,317.08 sqft 122,36 m² 158.01 sq11 ₹0.08. ha badan badan 1:300 9" 10" 1,475.09 sqft / 137,04 m<sup>3</sup> UNIT AREA .....

© a+t architecture publishers

### 10. TRIMARAN

PRIVACY

LOWEST LOW MODERATE HIGH HIGHEST


VERTICAL CIRCULATION INDEX: ......0.33

CORES:... 2

HORIZONTAL CIRCULATION INDEX: ..... 15.87


STOREYS: .. 3

UNITS:.... 6



@ a+t architecture publishers

### 10. TRIMARAN




# 11. CASTLE

PRIVACY LOWEST LOW MODERATE HIGH HIGHEST VERTICAL CIRCULATION INDEX: ...... 1.00 CORES:... 4 HORIZONTAL CIRCULATION INDEX: ...... 8.94 UNITS:.... 4 STOREYS: .. 8 20 25 30 35 40 45 50 MEURON ZELLWEGER PARK USTER CH 2015. 75' 10' 23,12 m BASED ON: HERZOG & DI 1:1000 = 16'05" 7,288.03 sqft / 677,08 m² FLOOR PLAN AREA.

**50 HOUSING FLOOR PLANS** 

© a+t architecture publishers

### 11. CASTLE



# 12. PEAK


**EXTERIOR** LOWEST LOW MODERATE HIGH HIGHEST EXTERIOR SPACE %: .....7,94 FACADE %: SIZE: ..... M 43' 04" 13,21 # 1,242.26 sqft 115,41 m<sup>3</sup> 107 21 sqft 9,96 m<sup>2</sup> 1:300 9' 10"

© a+t architecture publishers

**UNIT AREA...** 

**50 HOUSING FLOOR PLANS** 

1,349.47 sqft / 125,37 m<sup>2</sup>



**50 HOUSING FLOOR PLANS** 


© a+t architecture publishers

# 13. SHORT RECTANGLE

PRIVACY

LOWEST LOW MODERATE HIGH HIGHEST


CORES:... 1



FLOOR PLAN AREA.....


... 7,661.21 sqft / 711,75 m<sup>3</sup>

### 13. SHORT RECTANGLE



PRIVACY LOWEST LOW **MODERATE** HIGH HIGHEST VERTICAL CIRCULATION INDEX: .....0.50 **CORES:... 3** HORIZONTAL CIRCULATION INDEX: .....13.23 UNITS:.... 6 STOREYS: .. 5 65' 03" 19,89 m MTA. SEMPACHERSTRASSE, BASEL CH 2015. 11,73 m 38.06 21,03 m -00.69 150'06" 45,88 m BASED ON MILLER MARJ 1:1000 💂 16' 05" FLOOR PLAN AREA .8,130.30 sqft / 755,33 m²

### 14. SPINE



### 15. SQUARE GRID

PRIVACY


**HIGHEST** LOWEST LOW MODERATE HIGH

CORES:... 2

HORIZONTAL CIRCULATION INDEX: ...... 8.31

STOREYS: 18

UNITS:.... 4



© a+t architecture publishers

FLOOR PLAN AREA .....

**50 HOUSING FLOOR PLANS** 


8,201.67 sqft / 761,96 m<sup>2</sup>

#### 15. SQUARE GRID

LOWEST LOW MODERATE HIGH HIGHEST


EXTERIOR SPACE %: 24.33
FACADE %: 66.31

SIZE: M




© a+t architecture publishers

#### 16. RECTANGLE




### 16. RECTANGLE




EXTERIOR SPACE %: .....25.87

SIZE: .....L



. 2,059.67 sqft / 191,35 m² UNIT AREA.

#### 17. CUTTER BLADE



### 17. CUTTER BLADE

301,39 sqft 28,00 m² 892.22 sqft 82,89 m² 37.06 11,43 m 1:300 9" 10" - 1,193.61 sqft / 110,89 m² UNIT AREA.....

@ a+t architecture publishers


# 18 EMPTY CIRCLE

PRIVACY

LOWEST LOW **MODERATE** HIGHEST HIGH


VERTICAL CIRCULATION INDEX: ......0.29 **CORES:... 2** 

HORIZONTAL CIRCULATION INDEX: ......4.43 STOREYS: 7/13 UNITS:.... 7



© a+t architecture publishers

### 18. EMPTY CIRCLE



@ a+t architecture publishers

## 19. THREE RECTANGLES

PRIVACY

LOWEST LOW MODERATE HIGH HIGHEST


VERTICAL CIRCULATION INDEX: ......0.40

CORES:... 2

HORIZONTAL CIRCULATION INDEX: .....17.27


STOREYS: .. 3

UNITS:.... 5



@ a+t architecture publishers

#### 19. THREE RECTANGLES



### 20. FILLED CIRCLE

PRIVACY

LOWEST HIGHEST LOW **MODERATE** HIGH


VERTICAL CIRCULATION INDEX: ......0.50

CORES:..., 4

HORIZONTAL CIRCULATION INDEX: ......5.24

STOREYS: 57

UNITS:.... 8




© a+t architecture publishers

### 20. FILLED CIRCLE

LOWEST LOW MODERATE HIGH HIGHEST

EXTERIOR SPACE %: 26.84

FACADE %: 50.00 SIZE: L




#### 21. EMPTY RECTANGLE

PRIVACY

LOWEST LOW MODERATE HIGH HIGHEST


VERTICAL CIRCULATION INDEX: .............0.25 CORES:... 2

HORIZONTAL CIRCULATION INDEX: .....4.14 STOREYS: ... UNITS:.... 8



@ a+t architecture publishers

#### 21. EMPTY RECTANGLE



PRIVACY

LOWEST LOW MODERATE HIGH HIGHEST


VERTICAL CIRCULATION INDEX: ......0.17

CORES:... 2

HORIZONTAL CIRCULATION INDEX: ...... 8.04

STOREYS: 12

UNITS:.., 12




© a+t architecture publishers

FLOOR PLAN AREA

**50 HOUSING FLOOR PLANS** 

10,325.50 sqft / 959,27 m²



## 23. TWO PENTAGONS


PRIVACY

LOWEST LOW MODERATE HIGH HIGHEST

VERTICAL CIRCULATION INDEX: ......0.75


CORES:... 6

HORIZONTAL CIRCULATION INDEX: ......9.10 STOREYS:10/14 UNITS:.... 8



@ a+t architecture publishers

### 23. TWO PENTAGONS



© a+t architecture publishers

UNIT AREA

**50 HOUSING FLOOR PLANS** 

. 1,504.80 sqft / 139,80 m<sup>2</sup>

### 24. OPEN QUADRANGLE

PRIVACY

LOWEST LOW MODERATE HIGH HIGHEST


VERTICAL CIRCULATION INDEX: ......0.18

CORES:... 2

HORIZONTAL CIRCULATION INDEX: ......7.86


STOREYS: .. 6

UNITS:.. 11



© a+t architecture publishers

### 24. OPEN QUADRANGLE



### 25. FOUR INSECTS

PRIVACY


LOWEST LOW MODERATE HIGH HIGHEST

VERTICAL CIRCULATION INDEX: ......0.67


HORIZONTAL CIRCULATION INDEX: .....14.47


CORES:... 4

STOREYS: .. 3 UNITS:.... 6



### 25. FOUR INSECTS







UNIT AREA ...... 1,524.49 sqft / 141,63 m²


@ a+t architecture publishers

#### 26. LONG RECTANGLE




#### 26. LONG RECTANGLE





#### 27. CACTUS



### 28. SMALL EGYPTIAN

PRIVACY HIGHEST **MODERATE** HIGH LOWEST LOW **CORES:... 2 VERTICAL CIRCULATION INDEX: ......0.50** UNITS:.... 4 HORIZONTAL CIRCULATION INDEX: .....18.69 103'07' 31,56 m 122'01" 37,20 m 1:1000 = 16' 05"

@ a+t architecture publishers

FLOOR PLAN AREA.

**50 HOUSING FLOOR PLANS** 


11.224,39 sqft / 1.042,78 m<sup>2</sup>

#### 28. SMALL EGYPTIAN

EXTERIOR LOWEST LOW MODERATE HIGH HIGHEST

EXTERIOR SPACE %: ......0.00

SIZE: .....XL FACADE %: ......50.01



© a+t architecture publishers

PRIVACY HIGHEST **MODERATE** HIGH LOWEST LOW CORES:... 2 UNITS:.. 12 HORIZONTAL CIRCULATION INDEX: .....12.38 27,54 m 1:1000 16' 05" 11,554.52 sqft / 1.073,45 m² FLOOR PLAN AREA .....


© a+t architecture publishers

#### 29. AMOEBA

EXTERIOR MESS LOWEST HIGH LOW MODERATE EXTERIOR SPACE %: .....24,46

SIZE: ..... M

HIGHEST



© a+t architecture publishers

UNIT AREA .....

**50 HOUSING FLOOR PLANS** 

. 1,244.31 sqft / 115,60 m<sup>2</sup>

### 30. TWO AMOEBAE

PRIVACY

LOWEST LOW MODERATE HIGH HIGHEST


VERTICAL CIRCULATION INDEX: ......0.33

CORES:... 2

HORIZONTAL CIRCULATION INDEX: .....14.81

STOREYS: .. 6 UNIT

UNITS:.... 6



© a+t architecture publishers

## 30. TWO AMOEBAE


EXTERIOR

LOWEST LOW MODERATE HIGH HIGHEST

EXTERIOR SPACE %: .....5.58

FACADE %: ......60.93

SIZE: .....L



UNIT AREA

.. 1,817,16 sqft / 168,82 m<sup>1</sup>

© a+t architecture publishers


### 31. X-SHAPE

PRIVACY

**HIGHEST** LOWEST HIGH MODERATE **LOW** 

**CORES:... 4** 

UNITS:.... 7 HORIZONTAL CIRCULATION INDEX: ....... 8.17 STOREYS:13/21



@ a+t architecture publishers

### 31. X-SHAPE

EXTERIOR HIGHEST LOWEST LOW HIGH MODERATE EXTERIOR SPACE %: ......15.60 SIZE: .....L FACADE %: .....62.41

1,461.96 sqft 135,82 m<sup>2</sup> 13.95 108.50 1:300 9" 10" 1,732.13 sqft / 160,92 m²

@ a+t architecture publishers

UNIT AREA

### 32. HAND FAN

PRIVACY HIGHEST LOWEST MODERATE HIGH LOW CORES.... 4 VERTICAL CIRCULATION INDEX: ......0.50 STOREYS: 11 UNITS:.... 8 HORIZONTAL CIRCULATION INDEX: ......9.64 BASED ON: KASPER DA 87' 09" 26,75 m 1:1000 16'05" 12,070.86 sqft / 1.121,42 m² FLOOR PLAN AREA.....

**50 HOUSING FLOOR PLANS** 

@ a+t architecture publishers

# 32. HAND FAN


EXTERIOR

LOWEST LOW MODERATE HIGH HIGHEST

EXTERIOR SPACE %: .....21.02


FACADE %: .....36.66

SIZE: ..... M




© a+t architecture publishers

#### 33. CLOISTER



#### 33. CLOISTER



# 34. TWO BARS

**PRIVACY** 

LOWEST LOW MODERATE HIGH HIGHEST


VERTICAL CIRCULATION INDEX: ......0.27

CORE5:... 3

HORIZONTAL CIRCULATION INDEX: .....14.84

STOREYS: .. 6

UNITS:.. 11




© a+t architecture publishers

FLOOR PLAN AREA

**50 HOUSING FLOOR PLANS** 


13,711.71 sqft / 1.273,86 m<sup>2</sup>

# 34. TWO BARS




#### 35. TWO SQUARES

VERTICAL CIRCULATION INDEX: .....0.18 CORES:... 2
HORIZONTAL CIRCULATION INDEX: .....12.52 STOREYS: ... 6 UNITS:... 11



© a+t architecture publishers

# 35. TWO SQUARES



# 36. THREE BIRDS

PRIVACY

LOWEST LOW MODERATE HIGH HIGHEST


VERTICAL CIRCULATION INDEX: ......0.27

**CORES:... 3** 

HORIZONTAL CIRCULATION INDEX: .....17.92

STOREYS:..4

UNITS:...11




© a+t architecture publishers

FLOOR PLAN AREA.....

**50 HOUSING FLOOR PLANS** 

.14,918.46 sqft / 1.385,97 m<sup>2</sup>

# 36. THREE BIRDS



#### 37. TRIDENT

**PRIVACY** 


LOWEST LOW MODERATE HIGH HIGHEST

VERTICAL CIRCULATION INDEX: .............0.25

CORES:... 2


HORIZONTAL CIRCULATION INDEX: .....11.85

STOREYS: .. 6 UNITS:.... 8



@ a+t architecture publishers

#### 37. TRIDENT



**PRIVACY** 

LOWEST LOW MODERATE HIGH HIGHEST


VERTICAL CIRCULATION INDEX: ............0.43

CORES:... 3

HORIZONTAL CIRCULATION INDEX: ......5.72


STOREYS: .. 4

UNITS:.... 7




@ a+t architecture publishers

# 38. WORM



# 39 THREE HEXAGONS



#### 39. THREE HEXAGONS

PRIVACY

LOWEST LOW MODERATE HIGH HIGHEST


VERTICAL CIRCULATION INDEX: .....0.20

CORES:... 3

HORIZONTAL CIRCULATION INDEX: .....15.17


STOREYS:..7

UNITS:.. 15




@ a+t architecture publishers

## 40. FOUR AMOEBAE



EXTERIOR SPACE %: .....17.25

FACADE %: ......50.31 SIZE: .....L



© a+t architecture publishers

# 40. FOUR AMOEBAE

© a+t architecture publishers

PRIVACY

LOWEST LOW MODERATE HIGH HIGHEST


VERTICAL CIRCULATION INDEX: .............0.24

CORES:... 4

**HORIZONTAL CIRCULATION INDEX: .....12.48** 

STOREYS: .. 9

UNITS:.. 17




# 41. CLUSTER

EXTERIOR NESS LOWEST LOW MODERATE HIGH HIGHEST

EXTERIOR SPACE %: .....18.06

FACADE %: .....49.99 SIZE: ..... M



.. 1,560.66 sqft / 144,99 m<sup>2</sup> **UNIT AREA....** 

@ a+t architecture publishers

#### 41. CLUSTER


**PRIVACY** 

LOWEST **HIGHEST** LOW **MODERATE** HIGH

VERTICAL CIRCULATION INDEX: ......0.44

**CORES:... 7** 

UNITS:., 16 HORIZONTAL CIRCULATION INDEX: .....14.68 STOREYS:2/9



FLOOR PLAN AREA ...... 19,767.49 sqft / 1.836,46 m²

© a+t architecture publishers

# 42. EIGHT-SHAPE

PRIVACY

**MODERATE** LOWEST HIGH HIGHEST LOW


VERTICAL CIRCULATION INDEX: .................................0.36

CORES:... 4

HORIZONTAL CIRCULATION INDEX: ...... 4.38

STOREYS: .. 9

UNITS:.. 11



FLOOR PLAN AREA ...... 20,006.23 sqft / 1.858,64 m<sup>2</sup>

@ a+t architecture publishers

# 42. EIGHT-SHAPE

FACADE %: ..... SIZE: .....L 363 50 sqft 33,77 m² 1,696.29 sqft 14,34 m 157,59 m<sup>2</sup> 51'05" 15,68 m 1:300 9'10"

UNIT AREA ...... 2,059.79 sqft / 191,36 m<sup>2</sup>

@ a+t architecture publishers

# 43. C-SHAPE

PRIVACY


LOWEST LOW MODERATE HIGH HIGHEST

VERTICAL CIRCULATION INDEX: ......0.33

CORES:... 4


HORIZONTAL CIRCULATION INDEX: .....10.55

STOREYS: .. 8 UNITS:.. 12



© a+t architecture publishers

# 43. C-SHAPE



UNIT AREA

... 1,823,08 sqft / 169,37 m²

# 44. TWO HEXAGONS

PRIVACY

LOWEST LOW MODERATE HIGH HIGHEST


VERTICAL CIRCULATION INDEX: ............0.67

CORES:... 8

HORIZONTAL CIRCULATION INDEX: .....14.99


STOREYS: 19

UNITS:.. 12



© a+t architecture publishers

#### 44. TWO HEXAGONS



# 45. U-SHAPE

PRIVACY

LOWEST LOW MODERATE HIGH HIGHEST


VERTICAL CIRCULATION INDEX: ......0.50

CORES:... 5


**HORIZONTAL CIRCULATION INDEX: .....11.48** 

STOREYS: .. 4

UNITS:.. 10



# 45. U-SHAPE



# 46. DISTORTED EMPTY RECTANGLE

PRIVACY

LOWEST LOW MODERATE HIGH HIGHEST


VERTICAL CIRCULATION INDEX: ......0.25

CORES:... 4

HORIZONTAL CIRCULATION INDEX: .....13.32

STOREYS:..7

UNITS:.. 16



© a+t architecture publishers

FLOOR PLAN AREA

**50 HOUSING FLOOR PLANS** 

22,521.65 sqft / 2.092,33 m<sup>2</sup>

# 46. DISTORTED EMPTY RECTANGLE

**EXTERIOR**RESS HIGH HIGHEST LOWEST LOW MODERATE EXTERIOR SPACE %: .....17.00 SIZE: .....L 95 58 sqft 8,88m<sup>3</sup> 53.03 1,555.60sqft 144,52 m<sup>3</sup> 222.92 sqft 20,71 m<sup>2</sup> 12,89 m 1.300 9' 10" ......... 1,874.10 sqft / 174,11 m² **50 HOUSING FLOOR PLANS** @ a+t architecture publishers


#### 47. LARGE EGYPTIAN

© a+t architecture publishers

PRIVACY MODERATE HIGHEST HIGH LOW LOWEST CORES: 10 VERTICAL CIRCULATION INDEX: .............. 1.67 UNITS:.... 6 HORIZONTAL CIRCULATION INDEX: ...... 7.33 STOREYS: 26 ٤ 165' 04 BASED ON. HERZOG 50,39 m 1:1000 16'05" 23,608.48 sqft / 2.193,30 m<sup>2</sup> FLOOR PLAN AREA .....

# 47. LARGE EGYPTIAN

EXTERIOR LOWEST **MODERATE** HIGH HIGHEST LOW EXTERIOR SPACE %: .....16.40 SIZE: .....XL FACADE %: ......50.00



@ a+t architecture publishers

**UNIT AREA...** 

# 48. EMPTY SQUARE

PRIVACY

LOWEST HIGHEST LOW HIGH **MODERATE** 


VERTICAL CIRCULATION INDEX: ......0.27

**CORES:... 6** 

**HORIZONTAL CIRCULATION INDEX: .....16.29** 


STOREYS: .. 7

UNITS:.. 22



© a+t architecture publishers

# 48. EMPTY SQUARE



# 49. BUBBLES

PRIVACY


LOWEST LOW MODERATE HIGH HIGHEST

VERTICAL CIRCULATION INDEX: ............0.50

CORES: 10


HORIZONTAL CIRCULATION INDEX: .....14,88

STOREYS: 22 UNITS:.. 20



@ a+t architecture publishers

# 49. BUBBLES




UNIT AREA


., 1,717.38 sqft / 159,55 m²

© a+t architecture publishers

# 50. THREE CHAINS




#### 50. THREE CHAINS



#### **50 HOUSING FLOOR PLANS**

#### Criteria for Estimated Privacy & Exterior-ness of Dwellings

a+t research group



9 788469 789681



#### 55 CARDS/55 CARTAS

English / Español Units in Metric system and Imperial system.

Unidades en sistema métrico decimal y en sistema anglosajón.

aplust.net

@ a+t architecture publishers

# 50 HOUSING FLOOR PLANS

Criteria for Estimated Privacy & Exterior-ness of Dwellings

a+t research group

55-CARD PACK BARAJA DE 55 CARTAS

Published by/Editada por a+t architecture publishers ISBN 978-84-697-8968-1

> Printing/Impresión Gráficas Irudi s.l. VI 26-2018

© a+t architecture publishers.

No part of this edition may be reproduced or transmitted without the express authorization in writing of the publisher.

Ninguna parte de esta edición puede ser reproducida o transmitida sin la autorización de la editorial expresada por escrito.



www.aplust.net